# STATUS ASSESSMENT RESPONSE FORM Species (Botanical name): Xanthosoma sagittifolium (Common name): Arrowleaf elephant ear Where the voucher specimen is held: <u>USF, FLAS, FSU, FTG</u> Assessment/ Reassessment completed by: Aimee Cooper Date assessment comple No New Yea. FRUCTIONS Onse or enter it in the des New Yea Central Date assessment started: 8/20/2009 **INSTRUCTIONS** Either check appropriate response or enter it in the des Attach additional sheets with evidence as necessary using appro-SUMMARY OF ASSESSMENT RESULTS BY STATE If species is NOT invasive in Florida, check one of the following three conclusions: From Section A **Automatic Exemption** Use Predictive Tool ☐ Prohibited Not considered a problem species at this time BY ZONE North: Central: South North: Central: South Index I = 3 : 18.75 : 0.7535.5 Score $\mathbf{M} =$ Category I = M = H V = LH Conclusions North Caution; may be recommended but manage to prevent escape Central No; invasive and not recommended by IFAS faculty South Caution; may be recommended but manage to prevent escape

#### In case of incomplete assessment:

Where did assessment stop?

Who could provide the answer to this question?

| Automatic Exemption   |   |  |
|---|---|--|
| Is this species listed on any federal or state noxious or prohibited plant lists? |   |  |
| ☐ Yes   | Under "BY STATE" on page R-1 check Prohibited |  |
| ✓ No Go to Section I-a below  |   |  |

# **Step-by-Step Assessment Responses**

| i di delega |  |   |  |  |  |
|-------------|--|---|--|--|--|
| l-a         | I-a <u>Current Invasion in Florida</u>     |   |  |  |  |
| 1.          | in Florida<br>(correspondant)<br>for a new | Is there a proposed or new use for a species that would result in higher propagule pressure* in Florida? For example, cultivation of ≥2 contiguous ac of a species for bioenergy (corresponding to DPI biofuel rule), or commercial cultivation of a species present in Florida for a new use, or increase in acreage cultivated from 1-10 ac to 10 times that acreage (10-100 ac), 10-100 ac to 5 times that acreage (50 to 500 ac), or >100 ac to 2.5 times that acreage. |  |  |  |
|             | ☐ Yes                                      | Use the Predictive Tool   |  |  |  |
|             | <b>√</b> No                                | Go to question I-a 2  |  |  |  |
| 2.          | Does this                                  | species occur in any natural areas of Florida?  |  |  |  |
|             | ✓ Yes                                      | Attach distribution records and Go to question I-a 3  |  |  |  |
|             | ☐ No                                       | Go to Section A   |  |  |  |
| 3.          | Does it O                                  | NLY occur in natural areas of Florida because it has persisted from its previous 1?   |  |  |  |
|             | ☐ Yes                                      | Attach evidence of previous cultivation for each site and Go to Section A   |  |  |  |
|             | <b>√</b> No                                | Go to Section I-b   |  |  |  |
|             |  | Section A is on page R-3 and Section I-b is on page R-4   |  |  |  |
|             |  | ✓ Check box if distribution records are attached  ☐ Check box if evidence of previous cultivation is attached   |  |  |  |

| Section  | on A                            |  |
|--|---------------------------------|--|
| A1 Does this species hybridize with any Federal or Florida-listed Endangered or T species, Species of Special Concern, or economically important species (e.g., e pollen /genetic invasion)? |                                 |  |
|  | Yes                             | Provide information below. Enter a conclusion on page R-17 of No unless limited use approved. Go to Section D for details on how to make a proposal for specified and limited use for the species.                     |
|  | ☐ No                            | Go to question A2  |
| If yes,  | then <i>provide</i> i           | name of listed or economically important species & information sources:  |
|  |                                 |  |
|  |                                 |  |
| A2   | Has this spec<br>20 years if w  | ies been introduced to Florida within the last 10 years if herbaceous, or last oody?   |
|  | Yes                             | Use Predictive Tool and so indicate on page R-1  |
|  | ☐ No                            | Highlight attached distribution records that show presence in Florida before 10 or 20 years ago or attach other evidence and Go to question A3   |
| A3   | Does this spe<br>and climate to | cies have a record of causing problems in other regions with similar habitats o Florida?   |
|  | Yes                             | Provide evidence below, Use Predictive Tool and so indicate on page R-1  |
|  | □ No                            | Enter a conclusion of Not considered a problem species at this time and may be recommended by IFAS faculty on page R-1 but reassess if invasion of natural areas is recorded or within 10 years, whichever is earlier. |
| If yes,  | then give evia                  | lence of where and what problems this species has caused:  |
|  |                                 |  |
|  |                                 |  |
|  |                                 |  |
|  |                                 | Section D is on page R-19  |

| I-b Invasion Status in Three Zones of Florida  |  |  |  |  |
|--|--|--|--|--|
| Check responses to the following questions for each zor  | ne (north, central, south) separately.         |  |  |  |
| For "Yes" responses to questions 1-3, distributional eviand expanding populations within a plant community associated) must be attached and distinguished for each   | y with which it has not previously been        |  |  |  |
| <ol> <li>Does species exist in areas outside its current, or former, cultivation in this zone?         If Yes Go to question I-b 2         If No Go to question I-b 4     </li> </ol>  | North Central South Yes No Yes No  ✓ □ ✓ □ ✓ □ |  |  |  |
| <ol> <li>Is species invading in this zone ONLY when natural disturbance regime and scale have been altered?         If Yes Go to question I-b 3         If No (or unknown) Go to Section II-a     </li> </ol>                      | North Central South Yes No Yes No              |  |  |  |
| 3. Has this species ever been known to persist if the natural regime is resumed and the natural flora/communities recover?  If Yes (or unknown) Go to Section II-a  If No Go to question I-b 4                                     | North Central South Yes No Yes No              |  |  |  |
| <ul> <li>4. Are there other zones in which this species has invaded or persisted after restoration?         If Yes indicate I = 0 for this zone on page R-1 then Go to Section III-b         If No Go to Section A     </li> </ul> | North Central South Yes No Yes No              |  |  |  |
|  |  |  |  |  |
| Section II-a is on page R-5, Section III-b is on page R-10, Section A is on page R-3   |  |  |  |  |

✓ Check box if distribution records by zone are attached

# II-a Known Impacts at WORST SITE(S) (without, or before, any control effort)

Add up points for ALL impact statements (i through vi) that are true at the worst affected site(s) in that zone then Go to Section II-b.

If scores are assigned, attach Ecological Impacts Worksheets that include citations and/or log of expert evidence.

Documentation of evidence of impacts for each zone (as defined in the Assessment Glossary) must be attached and include specific locations of observed impacts. If experts are providing evidence, their <u>written and signed observations</u> must be attached. Scientific names of impacted species (e.g., state-listed or native species with which hybridization occurs) must be included.

If there is no evidence of an impact then assign 0 points <u>unless</u> the impact is considered very likely (e.g., fixes  $N_2$  in low nutrient soil which can change the flora) OR the impact (except vi) has been demonstrated in similar habitats in other zones or outside the state, OR if only one expert has documented the impact within the zone under consideration. In these cases assign 0.5 points.

|      |   | Points | North | Central | South |
|------|---|--------|-------|---------|-------|
| i)   | Long-term alterations in ecosystem processes                          | 15     | 0.5   | 0.5     | 0     |
| ii)  | Negatively impacted T & E species:                                    |        |       |         |       |
|      | Documented loss has occurred  | 12     | 0     | 0       | 0     |
|      | Loss is considered very likely  | 4      | 0     | 0       | 0     |
| iii) | Displaces or precludes native vegetation (see criteria in assessment) | 8      | 0     | 8       | 0     |
| iv)  | Changes community structure   | 4      | 0.5   | 4       | 0.5   |
| v)   | Hybridizes with native or economic plants                             | 4      | 0     | 0       | 0     |
| vi)  | Covers over 15% of invaded stratum (unless iii)                       | 1      | 1     | 0       | 0     |
|      |   | Total  | 2     | 12.5    | 0.5   |

Section II-b is on page R-6

| II-b Range of Community Groups in Which S   | pecies is Invasiv                     | <u>e</u>       |                          |
|---|---------------------------------------|----------------|--------------------------|
| Is this species known to be invasive in at least f  | · · · · · · · · · · · · · · · · · · · |                | s it occur in at least   |
| one community group of each of the terrestrial  | and palustrine/ac                     | quatic lists?  |                          |
|   | North                                 | Central        | South                    |
| If <i>Yes</i> list community groups below and multiply score from II-a by 1.5                       | Yes No                                | Yes No         | Yes No                   |
| If No multiply score from II-a by 1.0   | I = 3                                 | 18.75          | 0.75                     |
| Copy these Impact scores to page R-1. If $I \ge 1$ to Section III-a on page R-9.                    | 2, Go to Section                      | II-c on page R | -7; If I < 12, <b>Go</b> |
| If yes, then list relevant community groups for North:  | each zone:                            |                |                          |
| <u>Cerrestrial</u> : Rocklands<br><u>Aquatic</u> : Basin wetlands, Floodplain wetlands              |                                       |                |                          |
|   |                                       |                |                          |
|   |                                       |                |                          |
|   |                                       |                |                          |
| Central:  |                                       |                |                          |
| errestrial: Coastal uplands<br><u>quatic</u> : Basin wetlands, Floodplain wetlands, Lakes &         | & Rivers Wet flat                     | lands          |                          |
| quarie. Busin wentings, Floodplain wentings, Bakes e  | e Kivers, wet mat                     | iunus          |                          |
|   |                                       |                |                          |
|   |                                       |                |                          |
|   |                                       |                |                          |
| South:  |                                       |                |                          |
| <u>errestrial</u> : Mesic flatlands<br><u>quatic</u> : Basin wetlands, Floodplain wetlands, Lakes d |                                       |                |                          |
|   |                                       |                |                          |
|   |                                       |                |                          |

| II-c Propo                                | rtion of Invad                 | ed Natural Are                    | as/Sites with S                     | Significant I                  | mpacts  |                                       |
|---|--------------------------------|-----------------------------------|-------------------------------------|--------------------------------|---|---------------------------------------|
| Of the inva<br>under a few<br>the sites)? | ded sites, mig                 | tht any of the ventronmenta       | vorst (statemer<br>l conditions (i. | nts i to v in<br>e., condition | Section II-a) in<br>ns that occur in                      | npacts only occur<br>only 1 to 10% of |
| To answer determine t                     | this question<br>he percentage | , for each sta<br>from this table | tement in Sec<br>e. Calculate th    | tion II-a, i<br>e percentag    | <ul> <li>v that gets</li> <li>e separately for</li> </ul> | a score (> 0.5),<br>each zone.        |
|   | •                              | f Natural Area Yes Answer*        | s/Sites with                        | B) To                          | tal Number of N<br>Areas/Sites                            | Natural                               |
|   | North                          | Central                           | South                               | North                          | Central   | South                                 |
| i)  |                                |                                   |                                     |                                |   |                                       |
| ii)                                       |                                |                                   |                                     |                                | 2 1 1 1 2   | pre                                   |
| iii)                                      |                                |                                   |                                     |                                |   |                                       |
| iv)                                       |                                |                                   | 201-111111111111                    | ±0                             |   | ISP III                               |
| v)  |                                |                                   | 11 111                              | o - V                          |   |                                       |
| TOTAL                                     |                                |                                   |                                     |                                |   |                                       |
| Total A/Total B x 100 = %                 |                                | m n_ ==                           |                                     | 8                              |   |                                       |
|   | If the perc                    | entage is betwe                   | een 1-10% froi                      | n the table a                  | above, check <i>Ye</i>                                    | es:                                   |
|   |                                | North Yes No                      | Central<br>Yes No                   | Sout<br>Yes                    | th<br>No  |                                       |
| If Yes                                    |                                |                                   | tation of evidents and Go to S      |                                | included in Eco   | ological Impacts                      |
| If No                                     | or <i>No score</i>             | Go to Sec                         | ction III-a                         |                                |   |                                       |
|   |                                | ive a score. If seek a second     |                                     |                                |   | e result of which                     |
|   |                                |                                   |                                     |                                |   |                                       |
|   |                                |                                   |                                     |                                |   |                                       |
|   |                                |                                   |                                     |                                |   |                                       |

Section B is on page R-8 and Section III-a is on page R-9

| Section B |                           |   |  |   |   |
|-----------|---------------------------|---|--|---|---|
| B1        | communities impacts occur | fic habitats and in which significant r be clearly defined as n invaded sites where uch impacts?  | North Yes No                                       | Central Yes No                                      | South Yes No                            |
|           | If Yes                    | Attach such a site definition i to Question B2  | ncluding docum                                     | entation of evid                                    | ence and Go                             |
|           | If No                     | Go to Section III-a   |  |   |   |
| В2        |                           | m distance of propagule/<br>sal be estimated?   | North Yes No                                       | Central<br>Yes No                                   | South<br>Yes No                         |
|           | If Yes                    | Attach a definition of that disevidence, complete Sections Potential for Expansion, Man Enter a conclusion of No unle Section D for details on how use for the species. | III, IV, and V to agement Difficuess limited use a | derive informat<br>lty and Comme<br>pproved on page | ion on<br>rcial Value.<br>e R-17. Go to |
|           | If No                     | Go to Section III-a   |  |   |   |
|           |                           | Section III-a   | is on page R-9 ai                                  | nd Section D is                                     | on page R-19                            |
|           |                           |   |  |   |   |
|           |                           | _   | if site definition if                              |   | sal is attached                         |

| ONLY For Zo   | nes Where Plant Has In   | vaded (Strike          | out un-invaded           | zones)       |  |
|---|--|------------------------|--------------------------|--------------|--|
| III-a Known Rate of Inv                                     | III-a Known Rate of Invasion.                                      |                        |                          |              |  |
| two new discrete  | reported in more than populations in any 12 hin the last 10 years? | North<br>Yes No<br>✓ □ | Central<br>Yes No<br>✓ □ | South Yes No |  |
| If Yes  | Indicate P = High, he records and list thes                        |                        |                          |              |  |
| If No or Unknowi  | Indicate $P = Low$ ar  | nd Go to Section       | IV                       |              |  |
|   |  | North                  | Central                  | South        |  |
| North Central South $P =                                  $ |  |                        |                          |              |  |
|   |  |                        |                          |              |  |

### Reassessment: 8/20/09-3/13/10

### III-a Data – North Zone

| DATE       | SOURCE         | NATURAL AREA                                      |
|------------|----------------|---|
| 11/13/2009 | FSU Herbarium  | Panacea Unit, St. Mark's National Wildlife Refuge |
| 9/20/2010  | FLAS Herbarium | President's Park Conservation Area                |

### III-a Data - Central Zone

| DATE     | SOURCE          | NATURAL AREA                  |
|----------|-----------------|-------------------------------|
| 5/1/1999 | FLEPPC Database | Homosassa Springs State Park  |
| 5/1/1999 | FLEPPC Database | Wekiva River Aquatic Preserve |
| 5/1/1999 | FLEPPC Database | Ravine State Gardens          |

#### III-a Data - South Zone

| DATE      | SOURCE          | NATURAL AREA                           |
|-----------|-----------------|--|
| 5/1/1999  | FLEPPC Database | Jonathan Dickinson State Park          |
| 4/13/2000 | FLEPPC Database | Doris Davis Forman Wilderness Preserve |
| 4/13/2000 | FLEPPC Database | Tradewinds Regional Park               |
| 4/13/2000 | FLEPPC Database | Turtle Run                             |
| 4/13/2000 | FLEPPC Database | Woodmont Natural Area                  |
| 7/18/2003 | FLEPPC Database | Fern Forest Nature Center              |
| 7/18/2003 | FLEPPC Database | Tall Cypress Natural Area              |

|    |                 | r Invading Non-invaded Zones  |                                    |   |                       |
|----|-----------------|---|------------------------------------|---|-----------------------|
| 1. |                 | s species be able to survive,<br>and disperse in the <u>climate</u><br>e?   | North Yes No                       | Central Yes No                            | South Yes No          |
|    | If Yes<br>If No | Provide documented eviden Indicate P = Low below and  |                                    |   | I-b 2                 |
| 2. |                 | -types suitable for the growth cies occur in this zone?   | North Yes No                       | Central Yes No                            | South Yes No          |
|    | If Yes          | Provide documented evide invaded zone is equal to the Section III-a - if there is a Low, use High).  If an adjacent zone is | e P assigned to<br>n option betwee | the <u>nearest inva</u><br>en two zones w | aded zone (from       |
|    | If No           | If the only adjacent :  Indicate $P = Low$ below and  | zone is non-inva                   | ded Go to Secti                           | ion IV                |
|    |                 |   | North                              | Central                                   | South                 |
|    |                 | P =   | Copy these P                       | X<br>otential categor                     | X<br>ies to page R-14 |
| -  | •               | le evidence that suitable climate   | and habitat-type                   | es for survival a                         | nd impacts exist      |
|    |                 |   |                                    |   |                       |
|    |                 |   |                                    |   |                       |
|    |                 |   |                                    |   |                       |

Section III-c is on Page R-11 and Section IV is on page R-12

| III-c   | Potential for Causing Ecological Impacts in Non-invaded Zones |  |   |   |                                  |   |   |                                       |  |
|---------|---|--|---|---|----------------------------------|---|---|---------------------------------------|--|
| 1.      | For zones impacts id zone unde Endangere                      | invaded by thi<br>lentified in Sec<br>r consideration<br>ed or Threaten<br>s were docume | is species,<br>etion II-a of<br>1 (e.g., do t<br>ed species | identify<br>ccur. I<br>he nega<br>or Spec | all con<br>Do these<br>atively i | nmuniti<br>e comm<br>impacte<br>Special ( | es in whic<br>unities oc<br>d Federal-<br>Concern o | cur in the<br>or Floric<br>ccur in th | un-invaded<br>la-listed<br>is zone)? If                  |
|         |   | Ye:  | North<br>s No   | Cer<br>Yes                                | itral<br>No                      | Sor<br>Yes                                | No  |                                       |  |
|         | If Yes  | for this zo<br>adjacent in   | ne from z<br>vaded zon<br>re with br                        | zero to<br><u>e</u> (use<br>ackets{       | match<br>highest                 | the <b>E</b> ot value                     | c <mark>ological</mark><br>if there i               | Impact<br>s an opt                    | Impact Score Score for the ion; mark this I from Section |
|         | If No   | Go to Secti  | on IV   |   |                                  |   |   |                                       |  |
| zone (. | s): Zone = _  |  |   |   |                                  |   |   |                                       |  |
|         |   |  |   |   |                                  |   |   |                                       |  |
|         |   |  |   |   |                                  |   |   |                                       |  |
|         |   |  |   |   |                                  |   |   |                                       |  |
|         |   |  |   |   |                                  |   |   |                                       |  |
|         |   |  |   |   |                                  |   | Sec   | ction IV is                           | s on page R-12   |

# IV Factors That Increase the Difficulty of Management

If scores are assigned, attach Management Worksheets that include citations and/or log of expert evidence.

Add up all points from statements that are true for this species and documentation of evidence must be provided. Assign 0.5 point for each statement for which a true/false response is not known.

|   | Points        | All Zones |
|---|---------------|-----------|
| i) No known permitted control techniques.                             | 15            | 0         |
| ii) Difficult to control without damage to native species in:         |               |           |
| ≥50% of discrete sites;<br>25% to 50% of discrete sites.              | 10<br>7       | 7         |
| iii) Total costs of control per acre in first year are > \$1,500/acre | 5             | 5         |
| iv) Further site restoration is necessary following plant death.      | 5             | 5         |
| v) Total area to be managed:≥ 500 acres;                              | 5             | 5         |
| < 500 but > 50 acres.   | <u>2</u>      | -         |
| vi) Re-treatments following the first year of control expected:       |               |           |
| at least once a year for the next 5 years;                            | 5             | 5         |
| 1 to 4 times over the next 5 years OR regrowth not known.             | 2             | -         |
| vii) Access to most areas is difficult.                               | 3             | 3         |
| viii) Occurs in more than 20 discrete populations.                    | 3             | 3         |
| ix) Many persistent or dispersed propagules per plant                 | 3             | 0.5       |
| x) Early reproduction.  | 2             | 2         |
|   | Total for M = | 35.5      |

Copy these Management scores to page R-1 then Go to Section V on page R-13

| V  | Economic Value  |  |  |  |  |  |
|----|---|--|--|--|--|--|
| 1. | Does this species have any economic value in Florida? |  |  |  |  |  |
|    | <b>✓</b> Yes  | Go to question V - 2   |  |  |  |  |
|    | ☐ No  | Indicate V = No on page R-1, but treat as Low in the Conclusions table on page R-16. Go to Conversion of Index Scores to Index Categories. |  |  |  |  |
| 2. | •   | ecies sold in national or regional retail stores? (E.g., WalMart, Home Depot, permarkets.)   |  |  |  |  |
|    | Yes   | Go to Conversion of Index Scores to Index Categories on page R-14 and indicate V = High  |  |  |  |  |
|    | ✓ No  | Go to question V - 3.  |  |  |  |  |
| 3. | State-wid   | e are there more than 10 commercial growers of this species?   |  |  |  |  |
|    | Yes   | Go to Conversion of Index Scores to Index Categories on page R-14 and indicate V = High  |  |  |  |  |
|    | <b>✓</b> No   | Go to question V - 4.  |  |  |  |  |
| 4. | Does this purposes                                    | species have economic value for forage, biomass, or remediation?   |  |  |  |  |
|    | Yes   | If net value ≥ \$50,000 / yr, Go to Conversion of Index Scores to Index Categories (page R-14) and indicate V = High                       |  |  |  |  |
|    | ✓ No  | If net value < \$50,000 / yr, Go to Conversion of Index Scores to Index Categories (page R-14) and indicate V = Low                        |  |  |  |  |
|    |   |  |  |  |  |  |
|    |   |  |  |  |  |  |
|    |   |  |  |  |  |  |

Conversion of Index Scores to Index Categories is on page R-14

| Conversion of Index Scores to Index Categories   |                                     |          |          |          |           |                  |   |           |
|--|-------------------------------------|----------|----------|----------|-----------|------------------|---|-----------|
| Using the following table, determine the appropriate category (Low to High or Very High) for each index. (Categories for Potential for Expansion Index and Commercial Value were copied from Pages R-9, R-10, and R-13)  |                                     |          |          |          |           |                  |   |           |
| Category   |                                     |          | Impact   | s        | Ma        | nageme           | nt Difficulty                           |           |
| Low  | (L)                                 |          | < 12     | _        |           | < 1              |   |           |
| Medium   | (M)                                 | I        | 12 - 26  | .4       |           |                  |   |           |
| High   | (H)                                 |          | 26.5 -   | 41       |           | ≥15              |   |           |
| Very High  | (VH                                 | I)       | > 41     |          |           |                  |   |           |
|  | _                                   | npact    |          |          | Potential |                  | Management                              | Value     |
| N  | orth                                | Central  | South    | North    | Central   | South            | All zones                               | All zones |
| Category _   | <u>L</u>                            | <u>M</u> | <u>L</u> | <u>H</u> | <u>H</u>  | <u>H</u>         | <u> </u>                                | L         |
|  |                                     |          |          |          |           |                  |   |           |
| Copy these Index categories to page R-1 then Go to Conclusions on pages R-15 & 16  |                                     |          |          |          |           |                  |   |           |
| and the state of t | · · . · . · · · · · · · · · · · · · |          |          |          |           | 1212120200000000 | 200402000000000000000000000000000000000 |           |

#### Conclusion

Conclusions are derived separately for each zone from the combined index categories using the table on page R-14. Whenever new information becomes available about the invasive status of a species (e.g., new populations, new data on ecological impacts) that species should be reviewed and if necessary reassessed. The following text corresponds to the abbreviations in the table on page R-14 (text in bold is approved language for IFAS documents, text in parentheses provides additional instructions to IFAS faculty and for reassessment):

OK =

Not considered a problem species at this time (may be recommended by IFAS faculty and reassess in 10 years).

Caution =

Caution - manage to prevent escape (may be recommended by IFAS faculty and reassess in 2 years).

No - unless limited use approved =

Go to Section D for details on how to make a proposal for specified and limited use for the species.

If a proposal for specified and limited use has not been approved by the IFAS Invasive Plant Working Group (IPWG) the conclusion is:

Invasive and not recommended by IFAS faculty (reassess in 10 years - a proposal for specified and limited use may be submitted to the IPWG at any time). In IFAS publications, reference can be made to the Web site for the Center for Aquatic and Invasive Plants (<a href="http://plants.ifas.ufl.edu/assessment">http://plants.ifas.ufl.edu/assessment</a>) to determine if any specified and limited uses have been approved since the time of publication.

If a proposal for specified and limited use has been approved by the IPWG the conclusion is:

Invasive and not recommended by IFAS faculty except for "the specified and limited" use that has been approved by the IFAS Invasive Plants Working Group (reassess in 2 years).

OR

Predicted to be invasive\*: Recommended only under specific management practices agreed upon by the IFAS Invasive Plant Working Group (reassess in 2 years).

In IFAS publications the term "specified and limited" would be replaced by a summary of the specific use that has been approved (e.g., indoor foliage). Details of approved specified and limited uses are to be kept with other assessment documentation.

No =

Invasive and not recommended by IFAS faculty (reassess in 10 years).

<sup>\*</sup>Reported invasiveness in environments similar to but outside of Florida is one basis for this conclusion

Determine Index Categories for ALL zones before starting this Section.

For each zone identify the combination of Index categories from page R-14 in the table below.

The asterisk indicates the appropriate Conclusion. Footnotes and space for recording the Conclusions are provided on page R-17.

| $\frac{\text{Index Ca}}{\text{L/H} = \text{eit}}$ | <u>itegories</u><br>her Low or Hi | gh      | See page | R-15 for full t | Concluster for conc         | s <u>ions</u><br>clusions |               |
|---|-----------------------------------|---------|----------|-----------------|-----------------------------|---------------------------|---------------|
|   |                                   |         |          | No              | No<br>unless<br>limited use | Caution                   | OK            |
| Impact  | Potential                         | Manage. | Value    |                 | approved                    |                           |               |
| VH  | L/H                               | L/H     | L/H      | *               |                             |                           |               |
| H<br>H  | Н                                 | H<br>H  | L<br>H   | *               |                             |                           |               |
| H<br>H  | H<br>H                            | L       | L        | *               |                             |                           |               |
| H   | H<br>H                            | L       | H        | •               | <b>3</b> €1                 |                           |               |
| H   | L<br>L                            | H       | L        | *               | _ 41.41                     |                           |               |
| H   | Ĺ                                 | H       | H        |                 | *1                          |                           |               |
| H   | Ĺ                                 | Ĺ       | Ĺ        | *(0)            |                             |                           |               |
| Н   | L                                 | Ĺ       | H        |                 | *1                          |                           |               |
| M   | Н                                 | Н       | L        | *               | #1                          |                           |               |
| M   | H                                 | Ĥ       | Н        |                 | * '                         |                           |               |
| M   | Н                                 | L       | L        | *               | *1                          |                           |               |
| M<br>M  | H<br>L                            | L<br>H  | H<br>L   | *               | •                           |                           |               |
| M   | L<br>L                            | Н       | H        | •               | *I                          |                           |               |
| M   | Ĺ                                 | L       | L        |                 | * ſ                         |                           |               |
| M   | Ĺ                                 | Ĺ       | H        |                 | #1                          |                           |               |
| L   | Н                                 | Н       | L        |                 |                             | *2                        |               |
| L<br>L  | Н                                 | Н       | Н        |                 |                             | *2                        |               |
| L   | H                                 | L       | L        |                 |                             | *2<br>*2                  |               |
| L   | Н                                 | L       | Н        |                 |                             | *~                        | <b>*</b> 2, 3 |
| L   | L                                 | L/H     | L/H      |                 |                             |                           | *2,3          |
|   |                                   |         |          |                 |                             |                           |               |
|   |                                   |         |          |                 |                             |                           |               |
|   |                                   |         |          |                 |                             |                           |               |
|   |                                   |         |          |                 |                             |                           |               |
|   |                                   |         |          |                 |                             |                           |               |
|   |                                   |         |          |                 |                             |                           |               |
|   |                                   |         |          |                 |                             |                           |               |

## Footnotes for table of Conclusions

- <sup>1</sup> Enter a conclusion of **No unless limited use approved** in the spaces below. **Go to Section D** on page R-19 for details on how to make a proposal for specified and limited use for the species.
- <sup>2</sup> If a zone is invaded and has Impact = Low or Medium but the <u>adjacent zone</u> has Impact = High or Very High or has received a **No** or **No unless limited use approved** conclusion via Section C, then for the invaded zone under consideration Go To Section C.
- For zones where a species has <u>not</u> invaded, if Potential = Low but Impacts in an <u>adjacent invaded</u> zone are Medium, High, or Very High, then use **Caution** for the un-invaded zone. If Impact = Low in the adjacent zone or it is not yet invaded, then retain **OK**.

  Because the Conclusion for one zone can be modified by the Index Categories or Conclusions for an adjacent zone, be sure to check Conclusions for each zone twice.

Conclusions North Caution; may be recommended but manage to prevent escape

Central No; invasive and not recommended by IFAS faculty

South Caution; may be recommended but manage to prevent escape

Copy these Conclusions to page R-1; Section C is on page R-18; Section D is on page R-19.

| Section | on C                  |   |
|---------|-----------------------|---|
| C1      |                       | rst record of this species in natural areas of this zone less than 10 years ago if s or less than 20 years ago if woody?  |
|         | Yes                   | Highlight distribution records that show first documentation in Florida is less than 10 or 20 years ago then Go to question C2  |
|         | □ No                  | Conclusion for this zone remains as Caution - manage to prevent escape OR Not considered a problem species at this time.  |
| C2      | Can this sp           | pecies reproduce and disperse in this zone?   |
|         | Yes                   | The conclusion for this zone is Invasive and not recommended by IFAS faculty OR Invasive and not recommended by IFAS faculty except for the specified and limited use that has been approved by the IFAS Invasive Plants Working Group to match the adjacent, highly impacted zone. However, do not alter the Ecological Impact category for this zone from Low or Medium. (Thus, if there is an adjacent non-invaded zone, the Ecological Impact category for that zone will remain Low or Medium.) The assessment for this zone can be considered complete now, even if the "documentation of evidence" requirement for Ecological Impacts is not fulfilled (i.e., there are only one or two expert opinions on this species in this zone). |
|         | ☐ No                  | Conclusion for this zone remains as Caution - manage to prevent escape OR Not considered a problem species at this time   |
|         |                       | Select appropriate Conclusion and enter it on Page R-1 and R-16   |
| If yes  | s, then <i>provid</i> | de evidence of reproduction and dispersal in this zone: Zone =  |
|         |                       |   |
|         |                       |   |
|         |                       |   |
|         |                       |   |

#### Section D

If there are specific circumstances in which this species could be used that would not be expected to result in escape and invasion (e.g., foliage plants that are only used indoors and which can be reasonably prevented, by conspicuous labeling, from use or disposal in the landscape) **OR** if it is possible to define how to avoid dispersal of this species to habitats where its impacts are high (i.e., from Section B), then based on a proposal that is approved by the IPWG the conclusion becomes **Invasive and not recommended by IFAS faculty except for "the specified and limited" use that has been approved by the IFAS Invasive Plants Working Group.** The proposal for specified and limited use should document how invasion would be prevented, and should stipulate that disposal of any propagules must ensure their destruction. Reassess this species in 2 years (or in the case of referrals from Section B, immediately if the incidence of worst-case impacts increases above 10%.)

In IFAS publications the term "the specified and limited" would be replaced by a summary of the specific use that has been approved (e.g., indoor foliage).

Conditions of Acceptable Specified and Limited Use:

| Further information needed: | RARRANIS |
|-----------------------------|----------|
|                             |          |
|                             |          |
|                             |          |
|                             |          |
|                             |          |
|                             |          |
|                             |          |
|                             |          |
|                             |          |
|                             |          |
|                             |          |
|                             |          |
|                             |          |
|                             |          |
|                             |          |
|                             |          |
|                             |          |
|                             |          |
|                             |          |
|                             |          |

| E. s. op. |
|-----------|
|           |
|           |
|           |
|           |
|           |
|           |
|           |
|           |
|           |
|           |
|           |