

**RESPONSE FORM IFAS Assessment of Non-Native Plants In Florida's Natural Areas: March 2009**

Species (Botanical name): Eugenia uniflora (REASSESSMENT)

(Common name): Surinam cherry

Where the voucher specimen is held: USF, FLAS, FSU, FTG

Assessment completed by: Aimee Cooper

Date assessment started: 8/17/2009 Date assessment completed: ~~7/7/2010~~ 8/20/11 ✓

**INSTRUCTIONS**

*Either circle appropriate response or enter it in the designated space.  
Attach additional sheets with evidence as necessary using appropriate section numbers.*

**SUMMARY OF ASSESSMENT RESULTS**

**BY STATE**

If species is NOT invasive in State, circle one of the following three Conclusions:

From Section A

Automatic Exemption

Use Predictive Tool

Prohibited

Not considered a problem species at this time   
(reassess in 10 years)

**BY ZONE**

North: Central: South

North: Central: South

Index

Score I = {3} : 3 : 19.5

M = 17

Category I = L : L : M P = H : H : H M = H V = H

Conclusions North Caution; may be recommended but manage to prevent escape. (III-c) ✓

Central Caution; may be recommended but manage to prevent escape.

South No unless limited use approved.

**In case of incomplete assessment:**

Where did assessment stop?

Who could provide the answer to this question?

**Automatic Exemption**

Is this species listed on any federal or state noxious or prohibited plant lists?

- Yes      *Under "BY STATE" on page R-1 circle **Prohibited***
- No      **Go to Section I-a below**

**Step-by-Step Assessment Responses**

**I-a Current Invasion in Florida**

1. Is there a proposed or new use for a species that would result in higher propagule pressure\* in Florida? For example, cultivation of  $\geq 2$  contiguous ac of a species for bioenergy (corresponding to DPI biofuel rule), or commercial cultivation of a species present in Florida for a new use, or increase in acreage cultivated from 1-10 ac to 10 times that acreage (10-100 ac), 10-100 ac to 5 times that acreage (50 to 500 ac), or >100 ac to 2.5 times that acreage.

- Yes      **Use the Predictive Tool**
- No      **Go to question I-a 2**

2. Does this species occur in any natural areas of Florida?

- Yes      *Attach distribution records and Go to question I-a 2*
- No      **Go to Section A**

3. Does it **ONLY** occur in natural areas of Florida because it has persisted from its previous cultivation?

- Yes      *Attach evidence of previous cultivation for each site and Go to Section A*
- No      **Go to Section I-b**

*Section A is on page R-3 and Section I-b is on page R-4*

*Check box if distribution records are attached*

*Check box if evidence of previous cultivation is attached*

**Section A**

**A1** Does this species hybridize with any Federal or Florida-listed Endangered or Threatened species, Species of Special Concern, or economically important species (e.g., exhibit pollen / genetic invasion)?

**Yes** *Provide information below. Enter a conclusion on page R-17 of **No unless limited use approved. Go to Section D** for details on how to make a proposal for specified and limited use for the species.*

**No** **Go to question A2**

*If yes, then provide name of Listed or economically important species & information sources:*

**A2** Has this species been introduced to Florida within the last 10 years if herbaceous, or last 20 years if woody?

**Yes** **Use Predictive Tool** and so indicate on page R-1

**No** *Highlight attached distribution records that show presence in Florida before 10 or 20 years ago or attach other evidence and **Go to question A3***

**A3** Does this species have a record of causing problems in other regions with similar habitats and climate to Florida?

**Yes** *Provide evidence below, **Use Predictive Tool** and so indicate on page R-1*

**No** *Enter a Conclusion of **Not considered a problem species at this time and may be recommended by IFAS faculty on page R-1** but reassess if invasion of natural areas is recorded or within 10 years, whichever is earlier.*

*If yes, then give evidence of where and what problems this species has caused:*

*Section D is on page R-19*

**I-b Invasion Status in Three Zones of Florida**

Circle responses to the following questions for each zone (north, central, south) separately.

For “Yes” responses to questions 1-3, *distributional evidence of invasion* (forming self-sustaining and expanding populations within a plant community with which is had not previously been associated) *must be attached and distinguished for each zone.*

	North		Central		South	
1. Does species exist in areas outside its current, or former, cultivation in this zone? If Yes then Go to question I-b 2 If No then Go to question I-b 4	Yes	No	Yes	No	Yes	No
	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

	North		Central		South	
2. Is species invading in this zone ONLY when natural disturbance regime and scale have been altered? If Yes then Go to question I-b 3 If No (or unknown) then Go to Section II-a	Yes	No	Yes	No	Yes	No
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

	North		Central		South	
3. Has this species ever been known to persist if the natural regime is resumed and the natural flora/communities recover? If Yes (or unknown) then Go to Section II-a If No then Go to question I-b 4	Yes	No	Yes	No	Yes	No
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

	North		Central		South	
4. Are there other zones in which this species has invaded or persisted after restoration?	Yes	No	Yes	No	Yes	No
	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

If Yes then indicate **I = 0** for this zone on page R-1 then Go to Section III-b  
If No then Go to Section A

*Section II-a is on page R-5, Section III-b is on page R-10, Section A is on page R-3*



Check box if distribution records sorted by zone are attached

**II-a Known Impacts at WORST SITE(S) (without, or before, any control effort)**

Add up points for **ALL** impact statements (i through vi) that are true at the worst affected site(s) in that zone then **Go to Section II-b**.

*If scores are assigned, attach Ecological Impacts Worksheets that include citations and/or log of expert evidence.*

Documentation of evidence of impacts for each zone (as defined in the Assessment Glossary) must be attached and include specific locations of observed impacts. If experts are providing evidence, their written and signed observations must be attached. Scientific names of impacted species (e.g., State-listed or native species with which hybridization occurs) must be included.

If there is no evidence of an impact then assign 0 points unless the impact is considered very likely (e.g., fixes N<sub>2</sub> in low nutrient soil which can change the flora) OR the impact (except vi) has been demonstrated in similar habitats in other zones or outside the state, OR if only one expert has documented the impact within the zone under consideration. In these cases assign 0.5 points.

	Points	North	Central	South
i) Long-term alterations in ecosystem processes	15	<u>X</u>	<u>0</u>	<u>0.5</u>
ii) Negatively impacted T & E species:				
Documented loss has occurred	12	<u>X</u>	<u>0</u>	<u>0.5</u>
Loss is considered very likely	4	<u>X</u>	<u>0.5</u>	<u>0</u>
iii) Displaces or precludes native vegetation (see criteria in assessment)	8	<u>X</u>	<u>0</u>	<u>8</u>
iv) Changes community structure	4	<u>X</u>	<u>0.5</u>	<u>4</u>
v) Hybridizes with native or economic plants	4	<u>X</u>	<u>0</u>	<u>0</u>
vi) Covers over 15% of invaded stratum (unless iii)	1	<u>X</u>	<u>1</u>	<u>0</u>
<b>Total</b>		<u>X</u>	<u>2</u>	<u>13</u>

*Section II-b is on page R-6*



*Check box if Impacts Worksheet is attached*

II-b Range of Community Groups in Which Species is Invasive

Is this species known to be invasive in at least four community groups OR does it occur in at least one community group of each of the terrestrial and palustrine/aquatic lists?

North		Central		South	
Yes	No	Yes	No	Yes	No
<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

If Yes then list community groups below and multiply score from II-a by 1.5

If No then multiply score from II-a by 1.0 I = X 3 19.5

Copy these Impact scores to page R-1. If  $I \geq 12$ , Go to Section II-c on page R-7; If  $I < 12$ , Go to Section III-a on page R-9.

If yes, then *list relevant community groups for each zone:*

**North:**

**Central:**

Terrestrial: Mesic uplands, Xeric

Aquatic: Wet flatlands

**South:**

Terrestrial: Coastal uplands, Mesic flatlands, Mesic uplands, Rocklands, Xeric

Aquatic: Floodplain wetlands

**II-c Proportion of Invaded Natural Areas/Sites with Significant Impacts**

Of the invaded sites, might any of the worst (statements i to v in Section II-a) impacts *only* occur under a few, identifiable, environmental conditions (i.e., conditions that occur in only 1 to 10% of the sites)?

To answer this question, for each statement in Section II-a, i – v that gets a score (> 0.5), determine the percentage from this table. Calculate the percentage separately for each zone.

	A) Number of Natural Areas/Sites with a YES Answer*			B) Total Number of Natural Areas/Sites		
	North	Central	South	North	Central	South
i)	X	X	-	X	X	-
ii)	X	X	-	X	X	-
iii)	X	X	3	X	X	31
iv)	X	X	7	X	X	31
v)	X	X	0	X	X	0
<b>TOTAL</b>	X	X	10	X	X	62
<b>Total A/Total B x 100 = %</b>	X	X	16%	X	X	16%

If the percentage is between 1-10% from the table above, circle YES:

North		Central		South	
YES	NO	YES	NO	YES	NO
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

If YES

*Documentation of evidence must be included in Ecological Impacts Worksheets and Go to Section B*

If NO or NO SCORE Go to Section III-a

\*YES responses must be scorable. If only 1 individual reports any impacts, the result of which would be a 1-10% score, seek a second opinion on that impact/site.

*Section B is on page R-8 and Section III-a is on page R-9*

**Section B**

**B1** Can the specific habitats and communities in which significant impacts occur be clearly defined as different from invaded sites where there are no such impacts?

North		Central		South	
Yes	No	Yes	No	Yes	No
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

If Yes then *attach such a site definition including documentation of evidence* and **Go to question B2**

If No, then **Go to Section III-a**

**B2** Can maximum distance of propagule / pollen dispersal be estimated?

North		Central		South	
Yes	No	Yes	No	Yes	No
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

If Yes *Attach a definition of that distance of dispersal including Documentation of evidence, complete Sections III, IV, and V to derive information on Potential for Expansion, Management Difficulty and Commercial Value. Enter a conclusion of No unless limited use approved on page R-17. Go to Section D for details on how to make a proposal for specified and limited use for the species.*

If No **Go to Section III-a**

*Section III-a is on page R-9 and Section D is on page R-19*

*Check box if site definition is attached*

*Check box if definition of distance of dispersal is attached*



**ONLY For Zones Where Plant Has Invaded** (Strike out un-invaded zones)

III-a Known Rate of Invasion.

- |   |                          |                          |                                     |                          |                                     |                          |
|---|--------------------------|--------------------------|-------------------------------------|--------------------------|-------------------------------------|--------------------------|
| 1. Was this species reported in more than two new discrete populations in any 12 month period within the last 10 years? | <b>North</b>             |                          | <b>Central</b>                      |                          | <b>South</b>                        |                          |
|   | Yes                      | No                       | Yes                                 | No                       | Yes                                 | No                       |
|   | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |

If Yes then indicate **P = High**, *highlight relevant reports on the distribution records and list these sites below*, then **Go to Section IV**

If No or Unknown then indicate **P = Low** and **Go to Section IV**

	<b>North</b>	<b>Central</b>	<b>South</b>
<b>P =</b>	<u>    X    </u>	<u>    H    </u>	<u>    H    </u>

*Copy these Potential values to page R-14; Section IV is on page R-12*

If yes, then *list relevant new sites invaded for each zone:*

**North:**

**Central:**

See attached records.

**South:**

See attached records.

Reassessment 8/17/09-7/8/10

III-a Data – Central Zone

DATE	SOURCE	NATURAL AREA
5/7/2002	FLEPPC Database	SWFWMD, Schewe Tract
2/10/2003	FLEPPC Database	Bayside Bridge Mitigation Area M-51
3/24/2004	FNAI Database	Three Forks Marsh Conservation Area
4/1/2004	FNAI Database	Oslo Riverfront Conservation Area
2/1/2005	FNAI Database	Philippe Park
1/24/2006	FNAI Database	Lake Wales Ridge State Forest
2/14/2006	FNAI Database	Salt Lake Wildlife Management Area

III-a Data – South Zone

DATE	SOURCE	NATURAL AREA
1/28/2000	IRC Database	Lignum Vitae Key Botanical State Park
2/19/2000	IRC Database	Sewell Park
4/11/2000	FLEPPC Database	Mound Key State Archaeological Site
4/12/2000	FLEPPC Database	Blowing Rocks Preserve
4/21/2000	IRC Database	Blue Heron Hammocks, Florida Keys WEA
4/30/2000	IRC Database	Gomez
6/13/2000	IRC Database	Luis Martinez United States Army Reserve Station, Richmond Pine Rocklands
8/31/2000	IRC Database	Little Hamaca State Park
9/10/2000	IRC Database	Halpatiokee Regional Park
10/18/2000	IRC Database	Dupuis Reserve
11/2/2000	FLEPPC Database	Rookery Bay NERR
12/27/2000	IRC Database	LaBelle Nature Park
1/12/2001	IRC Database	Koreshan State Historic Site
1/13/2001	IRC Database	Caloosahatchee Regional Park
7/25/2002	IRC Database	Peck Lake Park
8/29/2002	IRC Database	Big Cypress National Preserve
9/3/2002	IRC Database	Rocky Point Hammock
4/20/2005	FNAI Database	Okaloacoochee Slough State Forest
1/23/2006	FNAI Database	Highland Scrub Natural Area
1/24/2006	FNAI Database	Crystal Lake Sand Pine Scrub Natural Area
1/24/2006	FNAI Database	Fern Forest Nature Center
5/25/2006	FNAI Database	Delaplane Peninsula Blueway Preserve
5/31/2006	FNAI Database	Twin Rivers Park
6/8/2006	FNAI Database	Lake Okeechobee Ridge
5/22/2007	FNAI Database	Banner Lake Park Conservation Area
7/31/2007	FNAI Database	Savannas Preserve State Park
10/21/2007	FNAI Database	Golden Raintree Park
10/21/2007	FNAI Database	Lyons Creek Cypress Preserve
11/18/2007	FNAI Database	Winston Park
5/6/2008	FNAI Database	Tree Tops Regional Park
7/1/2008	FNAI Database	Fort Pierce Inlet State Park
7/28/2008	FNAI Database	Avalon State Park

**ONLY For Zones Where Plant Has NOT Invaded.** (Strike out invaded zones)

III-b Potential for Invading Non-invaded Zones

1. Would this species be able to survive, reproduce, and disperse in the climate of this zone?
- |  | North                               |                          | Central                  |                          | South                    |                          |
|--|-------------------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
|  | Yes                                 | No                       | Yes                      | No                       | Yes                      | No                       |
|  | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
- If Yes      *Provide documented evidence below and Go to question III-b 2*  
 If No      *Indicate P = Low below and Go to Section IV*

2. Do habitat-types suitable for the growth of this species occur in this zone?
- |  | North                               |                          | Central                  |                          | South                    |                          |
|--|-------------------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
|  | Yes                                 | No                       | Yes                      | No                       | Yes                      | No                       |
|  | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
- If Yes      *Provide documented evidence below and indicate that P for this non-invaded zone is equal to the P assigned to the nearest invaded zone (from Section III-a - if there is an option between two zones with P = High or Low, use High).*

If an adjacent zone is invaded      **Go to Section III-c**  
 If the only adjacent zone is non-invaded      **Go to Section IV**

If No      **Indicate P = Low below and Go to Section IV**

P =      North      Central      South  
                  H                    X                    X

*Copy these Potential categories to page R-14*

If yes, then *provide evidence that suitable climate and habitat-types for survival and impacts exist in zone(s): Zone = North*:

- 1.) Species is known to occur in hardiness zones 9b-11 (Gilman 1997; Langeland et al. 2008). Parts of the North zone occur in hardiness zone 9 (arborday.org [http://www.arborday.org/media/zones.cfm]).
- 2.) All habitat-types occur in all zones.

*Section III-c is on Page R-11 and Section IV is on page R-12*

**ONLY For Zones Where Plant Has NOT Invaded But Has The Potential To Invade.**

**III-c Potential for Causing Ecological Impacts in Non-invaded Zones**

1. For zones invaded by this species, identify all communities in which any ecological impacts identified in Section II-a occur. Do these communities occur in the un-invaded zone under consideration (e.g., do the negatively impacted Federal- or Florida-listed Endangered or Threatened species or Species of Special Concern occur in this zone)? If no impacts were documented in any zones for this species, the response here is **NO**.

North		Central		South	
Yes	No	Yes	No	Yes	No
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

If Yes *Provide documented evidence below* and revise the **Ecological Impact Score** for this zone from zero to match the **Ecological Impact Score** for the adjacent invaded zone (use highest value if there is an option; mark this revised score with brackets{ } to show this score was derived from Section III-c) then **Go to Section IV**

If No **Go to Section IV**

If yes, *provide evidence that communities where ecological impacts occur exist in non-invaded zone(s):* Zone = North \_\_\_\_\_ :

All habitat-types occur in all zones.

*Section IV is on page R-12*

**IV Factors That Increase the Difficulty of Management**

*If scores are assigned, attach Management Worksheets that include citations and/or log of expert evidence.*

Add up all points from statements that are true for this species and documentation of evidence must be provided. Assign 0.5 point for each statement for which a true/false response is not known.

	<b>Points</b>	<b>All Zones</b>
i) No known permitted control techniques.	<b>15</b>	0 _____
ii) Difficult to control without damage to native species in:		
≥50% of discrete sites;	<b>10</b>	0 _____
25% to 50% of discrete sites.	<b>7</b>	0 _____
iii) Total costs of control per acre in first year are > \$1,500/acre	<b>5</b>	0.5 _____
iv) Further site restoration is necessary following plant death.	<b>5</b>	0 _____
v) Total area to be managed: ≥ 500 acres;	<b>5</b>	5 _____
< 500 but > 50 acres.	<b>2</b>	- _____
vi) Re-treatments following the first year of control expected:		
at least once a year for the next 5 years;	<b>5</b>	5 _____
1 to 4 times over the next 5 years OR regrowth not known.	<b>2</b>	- _____
vii) Access to most areas is difficult.	<b>3</b>	0 _____
viii) Occurs in more than 20 discrete populations.	<b>3</b>	3 _____
ix) Many persistent or dispersed propagules per plant	<b>3</b>	3 _____
x) Early reproduction.	<b>2</b>	0.5 _____
	<b>Total for M =</b>	17 _____

*Copy these Management scores to page R-1 then Go to Section V on page R-13*



*Check box if Management Worksheet is attached*

V Economic Value

1. Does this species have any economic value in Florida?

Yes Go to question V - 2

No Indicate V = No on page R-1, but treat as Low in the Conclusions table on page R-16. Then Go to Conversion of Index Scores to Index Categories.

2. Is this species sold in national or regional retail stores? (E.g., WalMart, Home Depot, Publix supermarkets.)

Yes Go to Conversion of Index Scores to Index Categories on page R-14 and indicate V = High

No Go to question V - 3.

3 State-wide are there more than 10 commercial growers of this species?

Yes Go to Conversion of Index Scores to Index Categories on page R-14 and indicate V = High

No Go to question V - 4.

4. Does this species have economic value for forage, biomass, or remediation purposes?

Yes If net value  $\geq$  \$50,000 / yr, Go to Conversion of Index Scores to Index Categories (page R-14) and indicate V = High

No If net value  $<$  \$50,000 / yr, Go to Conversion of Index Scores to Index Categories (page R-14) and indicate V = Low

*Conversion of Index Scores to Index Categories is on page R-14*

**Conversion of Index Scores to Index Categories**

Using the following table, determine the appropriate category (Low to High or Very High) for each index. (Categories for Potential for Expansion Index and Commercial Value were copied from Pages R-9, R-10, and R-13)

<u>Category</u>		<u>Impacts</u>	<u>Management Difficulty</u>
Low	(L)	< 12	< 15
Medium	(M)	12 - 26.4	
High	(H)	26.5 - 41	≥ 15
Very High	(VH)	> 41	

<u>Category</u>	<u>Impact</u>			<u>Potential</u>			<u>Management</u>	<u>Value</u>
	North	Central	South	North	Central	South	All zones	All zones
	<u>  L  </u>	<u>  L  </u>	<u>  M  </u>	<u>  H  </u>	<u>  H  </u>	<u>  H  </u>	<u>  H  </u>	<u>  H  </u>

*Copy these Index categories to page R-1 then Go to Conclusions on pages R-15 & 16*

## Conclusions

## **For Zones where conclusions were NOT developed in Section D**

Conclusions are derived separately for each zone from the combined index categories using the table on page R-14. Whenever new information becomes available about the invasive status of a species (e.g., new populations, new data on ecological impacts) that species should be reviewed and if necessary reassessed. The following text corresponds to the abbreviations in the table on page R-14 (text in bold is approved language for IFAS documents, text in parentheses provides additional instructions to IFAS faculty and for reassessment):

*OK* =

**Not considered a problem species at this time** (may be recommended by IFAS faculty and reassess in 10 years).

*Caution* =

**Caution - manage to prevent escape** (may be recommended by IFAS faculty and reassess in 2 years).

*No - unless limited use approved* =

**Go to Section D** for details on how to make a proposal for specified and limited use for the species.

If a proposal for specified and limited use has not been approved by the IFAS Invasive Plant Working Group (IPWG) the conclusion is:

**Invasive and not recommended by IFAS faculty** (reassess in 10 years - a proposal for specified and limited use may be submitted to the IPWG at any time). In IFAS publications, reference can be made to the web site for the Center for Aquatic and Invasive Plants (<http://plants.ifas.ufl.edu/>) to determine if any specified and limited uses have been approved since the time of publication.

If a proposal for specified and limited use has been approved by the IPWG the conclusion is:

**Invasive and not recommended by IFAS faculty except for “the specified and limited” use that has been approved by the IFAS Invasive Plants Working Group** (reassess in 2 years).

**OR**

**Predicted to be invasive\*:** Recommended only under specific management practices agreed upon by the IFAS Invasive Plant Working Group (reassess in 2 years).

In IFAS publications the term “specified and limited” would be replaced by a summary of the specific use that has been approved (e.g., indoor foliage). Details of approved specified and limited uses are to be kept with other assessment documentation.

*No* =

**Invasive and not recommended by IFAS faculty** (reassess in 10 years).

---

\*Reported invasiveness in environments similar to but outside of Florida is one basis for this conclusion



Determine Index Categories for ALL zones before starting this Section.  
 For each zone identify the combination of Index categories from page R-14 in the table below. The asterisk indicates the appropriate Conclusion. Footnotes and space for recording the Conclusions are provided on page R-17.

**Index Categories**

L/H = either Low or High

**Conclusions**

See page R-15 for full text for conclusions

Impact	Potential	Manage.	Value	Conclusions			
				No	No unless limited use approved	Caution	OK
VH	L/H	L/H	L/H	*			
H	H	H	L	*			
H	H	H	H	*			
H	H	L	L	*			
H	H	L	H		*1		
H	L	H	L	*			
H	L	H	H		*1		
H	L	L	L	*			
H	L	L	H		*1		
M	H	H	L	*			
M	H	H	H		*1		
M	H	L	L	*			
M	H	L	H		*1		
M	L	H	L	*			
M	L	H	H		*1		
M	L	L	L		*1		
M	L	L	H		*1		
L	H	H	L			*2	
L	H	H	H			*2	
L	H	L	L			*2	
L	H	L	H			*2	
L	L	L/H	L/H				*2,3

Footnotes for table of Conclusions

<sup>1</sup> Enter a conclusion of **No unless limited use approved** in the spaces below. **Go to Section D** on page R-19 for details on how to make a proposal for specified and limited use for the species.

<sup>2</sup> If a zone is invaded and has Impact = Low or Medium but the adjacent zone has Impact = High or Very High or has received a **No** or **No unless limited use approved** conclusion via Section C, then for the invaded zone under consideration **Go To Section C**.

<sup>3</sup> For zones where a species has not invaded, if Potential = Low but Impacts in an adjacent invaded zone are Medium, High, or Very High, then use **Caution** for the un-invaded zone. If Impact = Low in the adjacent zone or it is not yet invaded, then retain **OK**.

*Because the Conclusion for one zone can be modified by the Index Categories or Conclusions for an adjacent zone, be sure to check Conclusions for each zone twice.*

Conclusions North Caution; may be recommended but manage to prevent escape.

Central Caution; may be recommended but manage to prevent escape.

South No unless limited use approved.

*Copy these Conclusions to page R-1; Section C is on page R-18; Section D is on page R-19.*

**Section C**

**C1** Was the first record of this species in natural areas of this zone less than 10 years ago if herbaceous or less than 20 years ago if woody?

Yes *Highlight distribution records that show first documentation in Florida is less than 10 or 20 years ago then Go to question C2*

No Conclusion for this zone remains as **Caution - manage to prevent escape**  
**OR Not considered a problem species at this time.**

**C2** Can this species reproduce and disperse in this zone?

Yes The conclusion for this zone is **Invasive and not recommended by IFAS faculty** OR **Invasive and not recommended by IFAS faculty except for the specified and limited use that has been approved by the IFAS Invasive Plants Working Group** to match the adjacent, highly impacted zone. However, do not alter the **Ecological Impact** category for this zone from Low or Medium. (Thus, if there is an adjacent non-invaded zone, the **Ecological Impact** category for that zone will remain Low or Medium.) The assessment for this zone can be considered complete now, even if the "documentation of evidence" requirement for **Ecological Impacts** is not fulfilled (i.e., there are only one or two expert opinions on this species in this zone).

No Conclusion for this zone remains as **Caution - manage to prevent escape**  
**OR Not considered a problem species at this time**

*Select appropriate Conclusion and enter it on Page R-1 and R-16*

If yes, then *provide evidence of reproduction and dispersal in this zone:* Zone = \_\_\_\_\_

## **Section D**

If there are specific circumstances in which this species could be used that would not be expected to result in escape and invasion (e.g., foliage plants that are only used indoors and which can be reasonably prevented, by conspicuous labeling, from use or disposal in the landscape) **OR** if it is possible to define how to avoid dispersal of this species to habitats where its impacts are high (i.e., from Section B), then based on a proposal that is approved by the IPWG the conclusion becomes **Invasive and not recommended by IFAS faculty except for “the specified and limited” use that has been approved by the IFAS Invasive Plants Working Group.** The proposal for specified and limited use should document how invasion would be prevented, and should stipulate that disposal of any propagules must ensure their destruction. Reassess this species in 2 years (or in the case of referrals from Section B, immediately if the incidence of worst-case impacts increases above 10%.)

In IFAS publications the term “the specified and limited” would be replaced by a summary of the specific use that has been approved (e.g., indoor foliage).

**Conditions of Acceptable Specified and Limited Use:**

**Further information needed:**

Need two additional land stewards for the Central zone.

